

Perseus Proteomics Inc. 30-1 Nihonbashi-hakozakicho, Chuo-ku, Tokyo 103-0015, JAPAN

In order to obtain the best results, optimal working dilutions should be

Application / Recommended Concentration

TEL: +81-3-6264-8268 FAX: +81-3-3668-7776 https://www.ppmx.com order@ppmx.com

Anti mouse G9a /Ehmt2 mouse monoclonal antibody

G9a: Euchromatic histone-lysine N-methyltransferase 2

| Code No | PP-A8620A-00 |
|---------------|---|
| Clone No. | A8620A |
| Lot. | A-2 |
| Concentration | 1 mg/mL |
| Volume | 100 uL |
| lg Class | G2a |
| Description | Histone H3 Lys 9 (H3-K9) methylation is a crucial epigenetic mark for transcriptional silencing. G9a is the major mammalian H3-K9 methyltransferase that targets euchromatic regions and is essential for murine embryogenesis. |

| Western Blot | 0.5 ug/mL |
|-----------------------------------|---------------------------------------|
| Non reducing Western Blot | Not yet tested |
| ELISA | 0.1 ug/mL |
| mmunoprecipitation | Decide by use |
| Supershift Assay | Not yet tested |
| Chromatin immunoprecipitatic | Not yet tested |
| mmunohistochemistry | 5 ug/mL |
| | |
| WT mouse ES cell (Positive) | G9a KO mouse ES cell (Negative) |

| Genbank | AB077209 |
|---------|---|
| Origin | Produced in BALB/c mouse ascites after inoculation with hybridoma of mouse myeloma cells (NS-1) and spleen cells derived from a BALB/c mouse immunized with Baculovirus-expressed recombinant mouse G9a (15-114aa). |
| | |

| medse God (10 114da). | | |
|-----------------------|--|--|
| | | |
| | | |
| Epitope | | |

This antibody specifically recognizes mouse G9a and cross reacts with human G9a. Not yet tested in other species.

Store at 2 - 8 °C up to one month. For long-term storage, the solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. Storage in a frost-free freezer is not recommended.

Tachibana M. et al. Genes Dev, 2005; 19(7): 815-26 Reference

Purification Ammonium sulfate fractionation. Physiologic saline with 0.1 % NaN3. Formulation

Sodium azide may react with lead and copper plumbing to form explosive metal azides. Flush with large amounts of water during disposal.

FOR RESEARCH ONLY. NOT FOR USE IN HUMANS.

Specificity

Notes