

Perseus Proteomics Inc. 30-1 Nihonbashi-hakozakicho, Chuo-ku, Tokyo 103-0015, JAPAN

TEL: +81-3-6264-8268 FAX: +81-3-3668-7776 https://www.ppmx.com order@ppmx.com

Anti human TR2 mouse monoclonal antibody

TR2: Tasticular receptor 2

Code No	PP-H0037-00
Clone No.	H0037
Lot.	A-2
Concentration	1 mg/mL
Volume	100 uL
Ig Class	G2b
Description	Testis receptor 2 (TR2, TR2-11, DOR; NR2C1) is a members of orphan nuclear receptor. TR2 is expressed in prostate, liver, testis, seminal vesicle and

proteins at different levels in the LBD.

kidney. TR2 activates the human aldose-A gene, also through a DR1 element. TR2 and TR4 interact together and form heterodimers. The human TR2 gene may express at least four different isoforms. The TR2-11 isoform is the full-size protein, whereas the TR2-5, TR2-9 and TR2-7 isoforms represent truncated

Application / Recommended Concentration

In order to obtain the best results, optimal working dilutions should be determined by each individual user.

Western Blot	2 ug/mL	
Non reducing Western Blot	Not yet tested	
ELISA	0.2 ug/mL (A450=0.4)	
Immunoprecipitation	Decide by use	
Supershift Assay	Not yet tested	
Chromatin immunoprecipitatic	Not yet tested	
Immunohistochemistry	Not yet tested	

Nomenclature	NR2C1		
Genbank	M29960		
Origin	Produced in BALB/c mouse ascites after inoculation		
	with hybridoma of mouse myeloma cells (NS-1) and spleen cells derived from a BALB/c mouse immunized with Baculovirus-expressed recombinant human TR2 (4-110 aa) .	Storage	Store at 2 - 8 °C up to one month. For long-term storage, the solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. Storage in a frost-free freezer is not recommended.
Specificity	This antibody specifically recognizes human TR2. Not yet tested in other species.	Reference	
Purification	Ammonium sulfate fractionation		
		Notes	Sodium azide may react with lead and copper plumbing
Formulation	on Physiological saline with 0.1% NaN3 as a preservative.		to form explosive metal azides. Flush with large amounts of water during disposal.