

Perseus Proteomics Inc. 30-1 Nihonbashi-hakozakicho, Chuo-ku, Tokyo 103-0015, JAPAN

TEL: +81-3-6264-8268 FAX: +81-3-3668-7776 https://www.ppmx.com order@ppmx.com

Anti human TR4 mouse monoclonal antibody

TR4: Tasticular receptor 4

Code No	PP-H0107B-00
Clone No.	H0107B
Lot.	A-2
Concentration	1 mg/mL
Volume	100 uL
lg Class	G2a
December 61 and	TD4/TAK4 ND2C2) is a meanth on of amphan mucleum

Description

TR4(TAK1, NR2C2) is a member of orphan nuclear receptor. TR4 was originally cloned from lymphoblastoma Raji cells or mouse brain cDNA library. No ligand has been reported. Northern blot shows TR4 is transcribed as a 9kb mRNA in many tissues and as a 2.8kb mRNA in testis, mainly in spermatocytes. TR4 has two isoforms called TR4alpha1 and TR4 alpha2,which differ in 19 amino acids coded by two separate exons. Both products translated from 9kb transcript are ubiquitously expressed. Since TR4 binds to the same elements for the RAR-RXR or TR-RXR heterodimers, TR4 may has

a inhibitory effect for retinoic-acid mediated

transactivation.

Nomenclature NR2C2

Genbank	L27586
Origin	Produced in BALB/c mouse ascites after inoculation with hybridoma of mouse myeloma cells (NS-1) and spleen cells derived from a BALB/c mouse immunized with Baculovirus-expressed recombinant human TR4 (23-52 aa).
Specificity	This antibody specifically recognizes human TR4 and cross reacts with mouse and rat TR4.
Purification	Ammonium sulfate fractionation
Formulation	Physiological saline with 0.1% NaN3 as a


Application / Recommended Concentration

In order to obtain the best results, optimal working dilutions should be determined by each individual user.

Western Blot	2 ug/mL
Non reducing Western Blot	Not yet tested
ELISA	0.1 ug/mL (A450=0.2)
Immunoprecipitation	Decide by use
Supershift Assay	Not yet tested
Chromatin immunoprecipitatic	Not yet tested

Immunohistochemistry





Rat cerebellum Purkinje cells and granular cells

Rat testis primary and secondary spermatocytes

Storage

Store at 2 - 8 °C up to one month. For long-term storage, the solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. Storage in a frost-free freezer is not recommended.

Reference

Notes

Sodium azide may react with lead and copper plumbing to form explosive metal azides. Flush with large amounts of water during disposal.

FOR RESEARCH ONLY. NOT FOR USE IN HUMANS.

preservative.